



SAWA
PARKING SYSTEMS



Sawa factory was established in 2021 to be the first factory specialized in the manufacturing of mechanical parking systems in Egypt, Africa and Middle East



PRODUCT CATALOG

Trusted smart parking solutions
across Egypt and beyond

MADE IN
EGYPT

▶ WWW.SAWAPARKING.COM



WELCOME TO OUR PRODUCT CATALOG



SAWA
PARKING SYSTEMS

Who We Are ?

At Sawa, we revolutionize parking with vertical, PLC-controlled solutions that maximize space and efficiency for commercial, residential, and urban projects.

Our 7,000 sqm factory in 10th of Ramadan City features cutting-edge technology and a visionary team, driving innovation in mechanical and automated parking solutions. Smarter spaces, stronger communities.

Our success story began long before that

A strategic Egypt-Saudi partnership, powered by Italian design, Asian manufacturing, and 10+ years of global expertise

Egyptian-made Sawa systems now reach 7 countries — reflecting trusted quality and innovation.

Smarter spaces, stronger communities, and progress that never parks.



TABLE OF CONTENTS

Explore our smart parking solutions and technologies. This catalog is your quick guide to our products and innovations.

Who We Are ?

2

Rotary Car Parking System

20

Single Post Car Parking Lift

4

Hydraulic Four Post Car Elevator

22

Two Post Car Parking Lift

6

Hydraulic Scissor Car Elevator

24

Tilting Platform Car Parking Lift

10

Geared Motor Car Elevator

28

Four Post Car Parking Lift

12

Turn table

30

Triple Stacker Car Parking Lift

14

Car Space Block

32

Puzzle Car Parking System




16



SINGLE POST CAR PARKING

PRODUCT FEATURES

- Driven by single stage hydraulic cylinder and chain with safety system that locked and released automatically.
- Compact size and streamlined design with no need for maneuvering area.
- Space saving with free entrance and exit. Ideal for use in corridors and aisles while we can park the car on the platform without blocking the road.
- Platform runway made of diamond steel plates, removable corrugated galvanized steel plates in the middle
- Diamond steel ramps suitable for parking sports cars.
- The standard finishing is sandblasting then painting 2 layers (primer & finish coat) with SAWA standard colors (RAL 7015 Slate grey & RAL 1028 Melon yellow).



SPL 2T1850

Compact, safe hydraulic system with durable steel platform and premium finish


Model Type No.	Car Weight	Unit Height	Power Supply	Motor Capacity
SPL 2T1850	2000 Kg	2849 mm	220 V or 380 V	2.2 Kw



TWO POST CAR PARKING

PRODUCT FEATURES


- Hydraulic lifting system connected with chain to lift the platform and chain to balance the lifting system too.
- Driven by single stage dual hydraulic cylinders and chain with safety system that locked and released automatically that act as an Anti-falling mechanical locks to ensure safety.
- Contains a control panel with (UP, DOWN & EMERGENCY) buttons.
- High polymer polyethylene, wear-resistant slide blocks.
- Suitable for commercial and residential use. possibility to share posts for multiple connected units to save more space.
- lifting platform level could be customized for various car types according to ceiling height up to 2000 mm. (Min. ceiling height is 3.30 m).
- The standard finishing is sandblasting then painting 2 layers (primer & finish coat) with SAWA standard colors (RAL 7015 Slate grey & RAL 1028 Melon yellow).



TPL 2.7T2000

Reliable hydraulic lift with smart control and compact design.

Model Type No.	Car Weight	Unit Height	Power Supply	Motor Capacity
TPL 2.7T2000	2700 Kg	3260 mm	220 V or 380 V	2.2 Kw



Two Post Parking Lift – sport cars special edition
(The lowest ground clearance – up to 8 cm)







**Two Post Parking Lift – standard
(Standard ground clearance 13cm)**



TILTING CAR PARKING

PRODUCT **FEATURES**

- Driven by single stage dual hydraulic cylinders and chain with safety system that locked and released automatically.
- Automatic safety lock & electromagnetic lock release.
- Suitable for narrow garages with low ceiling height about 280 cm, and is suitable for sedan cars only.
- Adjustable platform angle to park different sedan cars.
- Balance shaft to ensure synchronous up & down movement.
- The standard finishing is sandblasting then painting 2 layers (primer & finish coat) with SAWA standard colors (RAL 7015 Slate grey & RAL 1028 Melon yellow).



TTL 2T1700

Smart tilting system for sedans in low-ceiling spaces.


Model Type No.	Car Weight	Unit Height	Power Supply	Motor Capacity
TTL 2T1700	2000 Kg	1956mm	220 V or 380 V	2.2 Kw



FOUR POST CAR PARKING

PRODUCT FEATURES

- Hydraulic lifting system with steel ropes.
- Driven by single stage one hydraulic cylinder.
- High polymer polyethylene, wear-resistant slide blocks
- Platform runway and ramps are made of diamond steel plates.
- Movable galvanized steel plates in the middle.
- Anti-falling mechanical locks in four posts at different heights to ensure safety.
- The standard finishing is sandblasting then painting 2 layers (primer & finish coat) with SAWA standard colors (RAL 7015 Slate grey & RAL 1028 Melon yellow). 16



FPL 3.6T2000

Four-post hydraulic system with steel ramps and safety locks.




Model Type No.	Car Weight	Unit Height	Power Supply	Motor Capacity
FPL 3.6T2000	3600 Kg	2592 mm	220 V or 380 V	2.2 Kw



TRIPLE STACKER CAR PARKING

PRODUCT FEATURES

- Hydraulic driven cylinders with wire rope lifting system through sheaves.
- Double safety locks in each post: first is one-piece safety lock ladder and the other will be activated automatically in case of steel wire rupture.
- Ramps are suitable for sport cars and occupy less space.
- Automatic latch locking system inside ladders allows the release of the electromagnetic lock through the push-button in the operating box.
- Electric control panel and hydraulic power unit will be placed inside a compartment fixed to the front post.
- The standard finishing is sandblasting then painting 2 layers (primer & finish coat) with SAVA standard colors (RAL 7015 Slate grey & RAL 1028 Melon yellow). 18



TSL 2.7T3500

Triple-stack hydraulic system with safety locks and smart control.


Model Type No.	Car Weight	Unit Height	Power Supply	Motor Capacity
TSL 2.7T3500	2700 Kg	4000 mm	220 V or 380 V	3 Kw




PUZZLE PARKING SYSTEM

PRODUCT FEATURES


- Motor driven and roller chain or steel rope lifting system.
- Space saving with multiple vertical levels and multiple horizontal bays. Each level has an empty parking space through which the outgoing car is passing when it called except the top level and the lower under ground level (if applicable). This process is performed by front-rear guide rails through which the platforms move horizontally.
- Top level and lower under ground level (if applicable) platforms can only move vertically while the ground level platforms can only move horizontally. Other levels platforms can move both horizontally & vertically to prepare the right way for incoming and outgoing cars.
- Multiple security protection devices to prevent falling, collision and overload. Besides photo electric sensors to check and stop the unit when cars park improperly or when persons accidentally cross in.
- Emergency stop push button mounted on operation panel as well.
- PLC automatic control system. Push button, touch screen and IC for convenient parking and retrieving process.
- The standard finishing is sandblasting then painting 2 layers (primer & finish coat) with SAWA standard colors (RAL 7015 Slate grey & RAL 1028 Melon yellow).




Puzzle 3 cars (2 bays / 2 Levels)




Puzzle 5 cars (3 bays / 2 levels)




Puzzle 7 cars (4 bays / 2 levels)




Puzzle 9 cars (5 bays / 2 levels)



Puzzle 11 cars (6 bays/ 2 levels)



Puzzle 7 cars (3 bays / 3 levels)






Puzzle with pit 8 cars (3 bays / 3 levels)


PPS

Independent automatic controlled car parking system.


Lifting Capacity	Drive Mode	Power Supply	Lifting Motors	Sliding Motors
2500 Kg	Motor + chains	380 V/3Ph	2.2 KW	0.2 KW




Puzzle 5 cars SUV





Puzzle 5 cars cantilever SIDE-VIEW






Puzzle 3 cars front - view




Puzzle 5 cars Sedan cantilever SIDE-VIEW



Puzzle 7 cars 3 levels



Pit Puzzle 8 cars






ROTARY PARKING SYSTEM

PRODUCT FEATURES


- Motor driven, chain lifting system.
- Designed to park vehicles by vertically circulating cage in CW/CCW directions.
- The most space efficient parking solution as you can park up to 16 cars in small area doesn't exceed 2 cars.
- Simple one-touch control and doesn't require professional operator. Intelligent rotation direction (in CW/CCW) to shorten entry / exit time.
- PLC automatic control system, touch screen to call the required vehicle in one touch.
- Different models to park 8, 10, 12, 14 & 16 cars depending on available heights, car type and customer request.
- The standard finishing is sandblasting then painting 2 layers (primer & finish coat) with SAWA standard colors (RAL 7015 Slate grey & RAL 1028 Melon yellow).



RPS

Rotary parking system with vertical circulation for up to 16 cars.


Model Type No.	Car Weight	Height	Power Supply	Motor Capacity
RPS 2.1T10	2150 Kg	14430 mm	380 V	11 KW
RPS 2.1T12	2150 Kg	16730 mm	380 V	15 KW



HYDRAULIC FOUR POST CAR/CARGO ELEVATOR

PRODUCT FEATURES

- Floor mounted 4 post heavy duty car elevator for outdoor use. Motor driven and
- Customized design based on requested lifting height, lifting capacity and number of stops.
- Hydraulic driven system through horizontal cylinder mounted on the side beam.
- Double chain lifting system connected to the cylinder for lifting the platform from left side.
- Side barrier fences fixed on the platform deck sides to ensure safety and visibility
- Ideal for lifting cars among ground, upper & lower levels at different heights.
- Couple chain balance system for both front & back sides ensure the platform deck remains levelled throughout the vertical travel, even with off-centered loads.
- Hydraulic power unit and electric panel are protected inside ergonomic compact size console with portable operation box.
- Thick reinforced steel platform minimizes deflection and maximizes stability
- The standard finishing is sandblasting then painting 2 layers (primer & finish coat) with SAWA standard colors (RAL 7015 Slate grey & RAL 1028 Melon yellow).



FPE 4T2730

Hydraulic 4-post car/cargo elevator with custom design and reinforced platform.

Model Type No.	Car Weight	No. of Stops	Power Supply	Motor Capacity
FPE 4T2730	4000 Kg	Ground+1	380 V	3Kw - MOTOR


Note Customized product with variable dimensions & specs. per request



HYDRAULIC SCISSOR CAR/CARGO ELEVATOR

PRODUCT FEATURES


- Elevator with scissor mechanism, driveway platform and hydraulic lifting system to move Cars/Cargo between different levels.
- Saving space by avoiding traditional concrete ramps to reach multiple levels with different lifting heights.
- Can be tailored and customized according to dimensions, lifting height, lifting capacity etc.
- Can be integrated with sliding platform to move car in and out of the lift, can be embedded with a turn table to change the car direction in entry and exit, can be with a canopy designed to be paved with various materials to match the surrounding ground and landscape.
- Hydraulic power unit of different capacities according to design, oil tubes and valves.
- Manual oil drain valve to lower the scissor manually when power off.
- Hydraulic cylinders equipped with hose rupture valves to prevent back flow of pressurized oil in the system after the valves.
- dead man pushbuttons operation box with emergency stop & on/off key switch and can be operated with remote control (optional).
- One-piece base frame with scissor arms (single or double depending on lifting height) makes it easy for loading & offloading horizontally by crane.
- Adjustable limit switch at every level to ensure stopping the platform(s) at predefined height.
- Anti-fall safety locking system to be activated automatically at each level with Electromagnetic lock release.
- The standard finishing is sandblasting then painting 2 layers (primer & finish coat) with SAWA standard colors (RAL 7015 Slate grey & RAL 1028 Melon yellow).




SPS 2.5T3300

Hydraulic scissor car/cargo elevator with customizable design and safety system.

Model Type No.	Car Weight	Unit Height	Power Supply	Motor Capacity
SPS 2.5T3300	2500 Kg	7409 mm	380 V	5.5 KW



Scissor lift with turn table



Scissor lift with canopy & extra platform



Double Stage Scissor




Scissor lift with canopy



GEARED MOTOR WITH RACK & PINION CAR/CARGO ELEVATOR

PRODUCT FEATURES


- Floor & wall mounted four posts heavy duty car elevator to be installed inside the shaft.
- Customized design based on requested lifting height, lifting capacity and number of stops.
- Geared motor driven system through Rack & Pinion to achieve steady move of platform without vibration.
- Platform balancing is guaranteed by using wheels as a combined bearing inside C beams.
- Two Electric geared motors are mounted under the platform, connected with transmission shaft.
- Side barrier fences fixed on the platform deck sides to ensure safety and visibility
- Operation through man on board kit fixed to side barrier & remote control
- Thick reinforced steel platform minimizes deflection and maximizes stability
- Ideal for lifting cars among ground, upper & lower levels at different heights.
- Electromagnetic lock to be engaged inside safety ladders fixed to side posts
- The standard finishing is sandblasting then painting 2 layers (primer & finish coat) with SAVA standard colors (RAL 7015 Slate grey & RAL 1028 Melon yellow).



GME 3T7000

Rack & pinion car/cargo elevator with geared motor.



Model Type No.	Car Weight	Stroke	Power Supply	Motor Capacity
GME 3T7000	3000 Kg	Customized	380 V	2 x 3 KW



VEHICLE TURNTABLE

PRODUCT FEATURES

- A rotating platform that allows vehicles to enter and exit parking spaces from different directions by rotating the car instead of maneuvering.
- Maximizes space utilization and improves vehicle traffic flow.
- Heavy-duty steel rotating mechanism covered with diamond steel plate.
- Rotates a full 360 degrees.
- Mechanism driven by an electric geared motor.
- Equipped with a control panel featuring push buttons and an emergency stop button.
- Suitable for residential and commercial buildings, as well as showrooms and automotive exhibitions.
- Can be customized for various diameters, load capacities, and integration with other parking systems such as scissor lifts and car elevators.
- The standard finishing is sandblasting then painting 2 layers (primer & finish coat) with SAWA standard colors (RAL 7015 Slate grey & RAL 1028 Melon yellow).



TTB2.7T360

360 degrees rotating turn table to facilitate vehicles traffic flow


Model Type No.	Car Weight	Rotation	Power Supply	Motor Capacity
TTB2.7T360	2700kg	360 Degree	220 V or 380 V	2.2 Kw



CAR SPACE BLOCK

PRODUCT FEATURES

- High quality steel structure
- Easy to operate manually without electric power need
- Lock with key
- Simple and beautiful design
- Suitable for indoor, outdoor, commercial and private use



CSB

Strong and simple car space blocker to protect your own parking slot

Model Name		Over All Dimensions		Weight
Car Space Block	L 780 mm	W 328 mm	Hight: opend 408 mm closed 67 mm	10KG



SAWA
PARKING SYSTEMS



PHONE

+2 0554 333 555
+2 010 15 1111 74



ADDRESS

Plots 88 & 89, A4 , 10th of Ramadan
City, Egypt P.O box 1806



ONLINE

info@sawaparking.com
www.sawaparking.com